


GHENT PDF WORKGROUP “CmykVeryHiRes_1v3” CREATING A COMPOSITE PS IN QUARKXPRESS PASSPORT 7.X VIA “PDF-STYLES”

! ATTENTION PLEASE: IN QUARKXPRESS 7 THE BEST OPERATING PROCEDURE IS VIA “DIRECT EXPORT TO PDF” AS OPPOSED TO “PRINT TO PS”, WHICH PREVIOUSLY WAS THE STANDARD PROCEDURE.


1/ Changing the QuarkXPress Preferences

- Go to the QuarkXPress menu and choose “Preferences”
- Click on the PDF tab on the left side of the panel
- Change the option from “Direct to PDF” to “Create PostScript File for Later Distilling”
- Confirm with the “OK” button




2/ Direct export to “PS”

- Choose File > Export > Layout as PDF...





3/ Save the file as .ps





GHENT PDF WORKGROUP “CmykVeryHiRes_1v3”

CREATE A COMPOSITE PS IN QUARKXPRESS PASSPORT 7.X VIA “PDF-STYLES”.
SIZE: DOCUMENT SIZE + 5MM BLEED + 5MM LENGTH REGISTRATION MARKS







* QuarkXPress automatically puts the name of the QXP document in this field





GHENT PDF WORKGROUP “CmykVeryHiRes_1v3”

CREATE A COMPOSITE PS IN QUARKXPRESS PASSPORT 7.X VIA “PDF-STYLES”.
 SIZE: DOCUMENT SIZE + 5MM BLEED + 5MM LENGTH REGISTRATION MARKS



GHENT PDF WORKGROUP “CmykVeryHiRes_1v3”

CREATE A COMPOSITE PS IN QUARKXPRESS PASSPORT 7.X VIA “PDF-STYLES”.
SIZE: DOCUMENT SIZE + 5MM BLEED + 5MM LENGTH REGISTRATION MARKS



*** WARNING:**
ALWAYS CHECK THE PDF THOROUGHLY IF TRANSPARENCY WAS USED IN YOUR LAYOUT.
IN SOME CASES - DEPENDING ON THE TRANSPARENCY EFFECT USED - FLATTENING
AT 600 DPI WILL NOT RESULT IN A SATISFACTORY RESULT AND FLATTENING AT THE
OUTPUT DEVICE RESOLUTION WILL BE MORE APPROPRIATE.

